#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	Plum Cre	ek Timberl	ands, LP	Operator W	ell No.:_	PCS	SF 1-11	1	
LOCATION:	Elevation:	3,578		Quadrang	. Fo	rk Mo	untain		
	District:	Falling Spri	ngs	County:		eenb		***************************************	
	Latitude:	8,851	Feet South of	•	12	Min.	30	Sec.	
	_	11,988	_Feet West of _		25		00	Sec.	
Well Type: C	<del></del>	GAS <u>X</u>	•	erator Phy	n Craek Ti			Surface Owner)	
	Amptonia Alife, programme and a second	nt Court, Suite 20		* Prophysical	Box 1109		ius, Lr (e	ourlace Owner)	
	Dallas, TX	75201		***************************************	isburg, W	***************************************	1-4110		—— received
Agent	Marc Mor	nteleone	Coal Op or Owner	***************************************			****		Office of Oil & Gas
Permit Issue	***************************************	07/14/2011		. *************************************	<del>(                                    </del>				MAR 2 7 2013
	04/10/20	12 - Plug & Abi	indon	FIDAVIT	ch	a. La	۲	Vorgan-	
STATE OF WA			lyuna				•	0	WV Department of
// /		- 4	lie Morgan						Environmental Protection
Warris	more	and_			being	g first o	duly swo	rn according to	o law denose
well operator, the	and participa	ated in the worl	rork of plugging and cof plugging and . 20, and the w	l filling the a	hove well	l sav t	hat said	work was our	mmenced on
TYPE	FR	OM	то	PIPE R	EMOVE	D	1	LEFT	
20*		face	100"		2			98'	
13 3/8", 54,5# J-55 Cement Plug		face 2	1,541'	***************************************	2'	******************************		1,539'	***************************************
Cement Plug		236'	2,287'	***************************************	***************************************	*********	-	14 bbls.	
				A		***************************************	-	98 bbls	
				· ·					
Description of said well was co	monument:	Steel post 4" x 4 the	", 7' height with API	#. API# welde	d onto car	o. and	I that the	work of pluggli	ng and filling
And further d	eponents sa	ith not.	Chadie	- / ' \	sigar T				MONWEALTH OF PENNSYLVANIA  Notarial Seal  Cindy L. Hughes, Notary Public  Buffalo Twp., Washington County
Sworn and su	bscribe befo	ore me this $2$	Laday of M	sech_	. 20	21	,	M	Y Commission Expires May 23, 2016  L HENNEY-VANIA ASSOCIATION OF NOTARIES
My commission (	expires: <u>M</u>	23 21	016	/'ma	ly L iofany Pu	bilc	ighe	3	
Affidavit reviewe	d by the Offi	ce of Oil and G	as: Muy	Kuri	34	and the same of th	Tille: 🚣	tugadot	· ·

### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	COFFMAI	N, NANCY	' & OF	RA	Operator Well	No.: G.B. C	HAPMAN 1	
LOCATION:					Quadrangle:	New Miltor	1	
	District: N	lew Milton			County:			
	Latitude:		_ Feet :	South of _	Deg	Min	Sec.	
							Sec.	
Well Type:	OIL (	GAS <u>×</u>						
Company	EXCO Res	ources (WV)	), INC.	Coal On	erator			
	PO Box 8			or Owne	***************************************		<del></del>	
	Ravenswood,	WV 26164						
Agent	Diana Star	mner			perator			-
Permit Issu		03/04/2013		or Owne	er			<del></del>
1 0111111 1354	ou Date	03/04/2013						
County of Roa		A, ss:		AI	FFIDAVIT			
Terry Rexroad		and <sup>Jay</sup>				being first du	uly sworn according	to law denose
well operator the 8th	, and participat	ted in the wor	k of plu	ugging and	d filling the abo	ve well say the	were employed by the at said work was countries the following manner	ommenced on
TYPE	FRO	MC	TC	)	PIPE REI	MOVED	LEFT	
6% gel	228	80	surfac	е	1710' of	4 1/2	570' of 4 1/	/2
cement	228	80	2050		720' o	f 7"	1113' of 7'	n ·
cement	171	10	1610					and the second second
cement	100		<b>, 800</b>				Owes of On	CAGA
cement	72		620				(1) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	O/
cement	50		400					
cement	10	0	surfac	e			Mus.	U 10/2
Description said well was	of monument:					and	that the work Africa	ging and SUSS OF SOM
Said Well Was (	completed on t	ine da	y or <u>war</u>	- í	, 20 <u>13</u> .		·	and and thing
And further	deponents sai	th not	7	The	<i></i>	}	STATE OF NOTA	CIAL SEAL WEST VIRGINIA
			To	a whi	rand	\$	5288 LIVE	RPOOL TOAR
Sworn and	subscribe befo	ore me this $\frac{2}{2}$	14 day	y of <u>////</u>	arca.	20/3	My commission	, VV 25252 ex. rigg July 22, 2020
My commission	n expires: 7/	122/2020	<u></u>		Soud	a G. Si	Silsen	
	•	1	,	1	No	tary Public		
Affidavit review	ved by the Offic	ce of Oil and (	Gas: <u>6</u>	Jong,	1/ewle	<u> </u>	Title: Oel r	gas inspector

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	COFFM	AN, NANCY	& ORA	Operator Well	No.: I.J. Warn	er 1	
LOCATION:					New Milton		ý.
		New Milton		County:	Doddidge		
	Latitude:		Feet South of _	Deg	Min	Sec.	
					Min		
Well Type: (	OIL	_GAS_×					
						/	
Company		esources (WV)	, INC. Coal Ope				
	PO Box 8	od, WV 26164	or Owne	r 			Maepose e named enced on
	Raveriswo	00, VVV 20104	Coal On				r-cas
Agent	Diana S	tamper		erator			
Permit Issue		03/04/2013	or Owne	<u></u>		- Recili	The.
1 CHIIIt 155th	eu Date	03/04/2013			· · · · · · · · · · · · · · · · · · ·		$\mathcal{E}_{lm}$
			AF	FIDAVIT		Q44000 2 6	13 10.
STATE OF W		INIA,				V3.5	"TOWN TON
County of Roam	ne	_ ss:				`	"O(1,10,0)
Terry Rexroad		and Jay	Whited			· · · · · · · · · · · · · · · · · · ·	A COLOR
				ad filling all and	being first duly	sworn according to lar employed by the abov	N depose
well operator.	and partici	ipated in the worl	k of plugging an	id filling oil and	gas wells and were	e employed by the abov said work was comme	e named
the <sup>14th</sup>	day of	March	. 20 <sup>13</sup> . and the w	ell was plugge	ed and filled in the	said work was comme	nced on
				an mac progge	and mod man	Tonowing mariner.	
TYPE	F	ROM	ТО	PIPE REI	MOVED	LEFT	
6% gel		1875	surface	1028' of	5 1/2	800' of 5 1/2	
cement		1875	1750	350' of	8 5/8	666 of 8 5/8	
cement		1028	928				
cement		550	450				
cement		350	250				
cement		100	surface				
			<u> </u>				
Description	-f	ent: 7" with api # we	alded on it				
said well was			y of March	20.12		the work of plugging a	nd filling
Said Well Was	completed (	on the ua	y 01 <u>maion</u>	, 20 <u>13</u> ./			
And further	deponents	saith not.	1-16	mad		OFFICIAL SE	AL
			1//		<i>{ Ma</i>	NOTABY PUBL	IRGINIA (
			Jan L	ite		SANDRA G. WI 5286 LIVERPOOL	SON (
		1	17th CN	Postali		LEROY, WV 25 My commission expires J	252
Sworn and	subscribe b	efore me this $\cancel{\lambda}$	<u>///</u> day of//	avrah,	20/3	······································	19 22, 2020
My commissio	n evnires:	7/22/2020	)	Laudia	H. Sills	A/I	
wy commissio	ii expires	171172020	_	<u>Sound in</u>	otary Public	000_	
	*		0	1	Adiy Fubile	24	_
Affidavit review	ved by the C	Office of Oil and O	Bas: Along,	1/ pula	Titl	e: Oll + aas	inspector
			7				

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

Farm name:	COFFMA	AN, NANCY	& ORA	_Operator Well	No.: G.B. CH	APMAN 3	
LOCATION:	Elevation:	1029		_ Quadrangle:	New Milton		
		New Milton		_ County:	Doddidge		
					Min	Soc	
	Longitude		_ Feet vvest of	Deg	Min	Sec.	
Well Type: 0	OIL	GAS <u>×</u>					
Company	EXCO Re	sources (WV)	, INC. Coal O	perator			
	PO Box 8		or Own				<del></del>
	Ravenswood	d, WV 26164					
			Coal C	perator			
Agent	Diana Sta	amper	or Own	er			**************************************
Permit Issue	ed Date	04/19/2011					
				FEIDAVIT			
STATE OF W	EST VIRGIN	NA,	<i>-</i>	FFIDAVIT			
County of Roar	ne	ss:					
Torre Davisord			IAN. S. I				
Terry Rexroad		and Jay		1.600	being first duly	sworn according to	law depose
well operator	ey are expe	nenced in the wor	work of plugging	and filling oil and	gas wells and we	ere employed by the	bove named
operator,				nd filling the abo	wa wall cav that	eaid work was aan	amonood on
the 4th	day of <u>N</u>	March	k of plugging al _, 20 <u>13</u> , and the	nd filling the abo	ove well say that ed and filled in th	said work was con ne following manner:	nmenced on
the 4th	day of <u>N</u>	March	, 20 <u>13</u> , and the	nd filling the abo	ove well say that ed and filled in th	said work was con ne following manner:	nmenced on
the 4th TYPE	day of <u>^</u>	Alarch ROM	, 20 <u>13</u> , and the	well was plugge	ed and filled in th	said work was con ne following manner: LEFT	nmenced on
TYPE 6% gel	day of _\ FF2	ROM 2150	, 20 <u>13</u> , and the	well was plugge	MOVED	ne following manner:	nmenced on
TYPE 6% gel cement	day of _\( \)	ROM 2150 2150	TO surface 2050	well was plugge	MOVED	ne following manner:	nmenced on
TYPE 6% gel cement cement	day of <u>M</u> FF  2  2  1	ROM 2150 2150 2200	TO surface 2050 1100	well was plugge PIPE RE 1208' of	MOVED	LEFT 950' of 5 1/2	nmenced on
TYPE 6% gel cement cement cement	day of	ROM 2150 2150 2200 3350	TO surface 2050 1100 250	well was plugge PIPE RE 1208' of	MOVED	LEFT 950' of 5 1/2	nmenced on
TYPE 6% gel cement cement	day of	ROM 2150 2150 2200	TO surface 2050 1100	well was plugge PIPE RE 1208' of	MOVED	LEFT 950' of 5 1/2	nmenced on
TYPE 6% gel cement cement cement	day of	ROM 2150 2150 2200 3350	TO surface 2050 1100 250	well was plugge PIPE RE 1208' of	MOVED F5 1/2 of 7"	LEFT 950' of 5 1/2 unknown	En l'a ser
TYPE 6% gel cement cement cement	day of	ROM 2150 2150 2200 3350 100	TO surface 2050 1100 250 surface	well was plugge PIPE RE 1208' of	MOVED F5 1/2 of 7"	LEFT 950' of 5 1/2 unknown	En l'a ser
TYPE 6% gel cement cement cement Description	day of _N	ROM 2150 2150 2150 2150 2150 2150 2150 2150	TO surface 2050 1100 250 surface	PIPE RE 1208' of 1195'	MOVED F5 1/2 of 7"	LEFT 950' of 5 1/2 unknown	ng and filling
TYPE 6% gel cement cement cement Description	day of _N	ROM 2150 2150 2200 3350 100	TO surface 2050 1100 250 surface	well was plugge PIPE RE 1208' of	MOVED F5 1/2 of 7"	LEFT 950' of 5 1/2 unknown	ng and filling
TYPE 6% gel cement cement cement cement	of monumen	ROM 2150 2150 2150 1200 350 100  1t: 7" with api # w	TO surface 2050 1100 250 surface	PIPE RE 1208' of 1195'	MOVED F5 1/2 of 7"	LEFT 950' of 5 1/2 unknown	En l'a ser
TYPE 6% gel cement cement cement cement	day of _N	ROM 2150 2150 2150 1200 350 100  1t: 7" with api # w	TO surface 2050 1100 250 surface	PIPE RE 1208' of 1195'	MOVED F5 1/2 of 7"	LEFT 950' of 5 1/2 unknown	ng and filling as
TYPE 6% gel cement cement cement cement	of monumen	ROM 2150 2150 2150 1200 350 100  1t: 7" with api # w	TO surface 2050 1100 250 surface	PIPE RE 1208' of 1195'	MOVED F5 1/2 of 7"	LEFT 950' of 5 1/2 unknown	ng and filling as 2013
TYPE 6% gel cement cement cement  Cement  Cement And further	of monument completed or deponents s	ROM 2150 2150 2150 1200 350 100 100 11th da daith not.	TO surface 2050 1100 250 surface	PIPE RE 1208' of 1195'	MOVED F5 1/2 of 7" and th	LEFT 950' of 5 1/2 unknown  at the work of pluggi	ng and filling  2013  SEAL AND WIRGINIA POBLICON POOLERO DO DO  WY DERO DO
TYPE 6% gel cement cement cement  Cement  Cement And further	of monument completed or deponents s	ROM 2150 2150 2150 1200 350 100  1t: 7" with api # w	TO surface 2050 1100 250 surface	PIPE RE 1208' of 1195'	MOVED F5 1/2 of 7"	LEFT 950' of 5 1/2 unknown  at the work of pluggi	ng and filling as 2013
TYPE 6% gel cement cement cement  Cement  Cement And further	of monument deponents s	ROM 2150 2150 2150 1200 350 100 100 11th da daith not.	TO surface 2050 1100 250 surface	PIPE RE 1208' of 1195'	MOVED F5 1/2 of 7" and th	LEFT 950' of 5 1/2 unknown  at the work of pluggi	ng and filling  2013  SEAL AND WIRGINIA POBLICON POOLERO DO DO  WY DERO DO
TYPE 6% gel cement cement cement  Cement And further  Sworn and	of monument deponents s	ROM 2150 2150 2150 1200 350 100 100 11th da daith not.	TO surface 2050 1100 250 surface	PIPE RE 1208' of 1195' , 20 13.	MOVED F5 1/2 of 7" and th	LEFT 950' of 5 1/2 unknown  at the work of pluggi	ng and filling  2013  SEAL AND WIRGINIA POBLICON POOLERO DO DO  WY DERO DO
TYPE 6% gel cement cement cement cement  Description said well was of And further  Sworn and  My commission	of monument completed or deponents subscribe bein expires: 7	ROM 2150 2150 2150 1200 350 100 100 11th da daith not.	2013, and the TO surface 2050 1100 250 surface elded on it by of March To day of	PIPE RE 1208' of 1195' , 20 13.	MOVED 15 1/2 of 7" and th	LEFT 950' of 5 1/2 unknown  at the work of pluggi	ng and filling  2013  SEAL AND WIRGINIA POBLICON POOLERO DO DO  WY DERO DO